

TABLE 2 SARS-CoV-2 IgG results in the context of reported symptoms and exposures among a cohort of childhood and young adult survivors followed in NYC

	SARS-CoV-2 IgG Positive		SARS-CoV-2 IgG Negative		SARS-CoV-2 IgG Not Reported*	All Patients
	No.	(%)	No.	(%)	No.	(%)
Number of unique patients	20	(6.2)	237	(73.8)	64	(19.9)
History of symptoms	6	(30.0)	24	(10.1)	5	(7.8)
Asymptomatic	13	(65.0)	184	(77.6)	28	(43.8)
Symptoms not recorded	1	(5.0)	29	(12.2)	30	(48.4)
Known exposure	7	(35.0)	12	(5.1)	1	(1.6)
No known exposure	12	(60.0)	141	(59.5)	18	(28.1)
Exposure not recorded	1	(5.0)	84	(35.4)	44	(70.3)
Extended family member death due to COVID-19**	1	(5.0)	5	(2.1)	0	(0.0)

* 64 patients did not have COVID-19 antibodies drawn due to: unordered by provider (n= 35), lab cancellation (n= 15), no indicated screening labs (n= 12), local labs not performed by patient (n= 1), or labs hemolyzed (n= 1).

** Family member deaths included grandparent (n= 5) and aunt (n= 1).