

MICROPLASTICS IN THE FOOD CHAIN



Pranav Raj T K
HCU
Dept. Of Plant Sciences

ABSTRACT

The world surrounding us is more over covered with plastics and we are in a “plastic era”. The bigger plastic materials, as the time moves, disintegrate into micro or nano particles may be as a result of radiations or weathering. These are termed as microplastics and nanoplastics. Technically these microparticles do not create a direct impact, instead they make their way to the food chain or rather a complex food chain. These can be through various steps ranging from filter feeding to adherence. They will start to accumulate, as the trophic level increases their accumulations also get increased. These trophic transfer is mainly through ingestion of smaller to higher organisms. Thus they create various damages and diseases to organisms in successive trophic levels. That can be ranging from respiratory disorders to endocrine or oncogenic issues. Not only in the marine world, the terrestrial world is also prone to these microplastics, either by airborne or through sewage water plants. Moreover in a developing or developed country, exposure to these tiny things are much more. The impacts are showing now and will entangle in the near future, unless this is not dealt as a serious issue to be considered. This article focuses on the classification, sources, exposure to food chain or food web, trophic concentrations, health issues, and remedies of microplastics.

KEYWORDS: Microplastics, Food chain, Aquatic ecosystem, Phytoplanktons, Health issues, Remedial measures

1-INTRODUCTION

Nowadays plastics have gained their importance in our day to day life, even starting from the hook of our buttons to materials of big aircraft. Since we know plastic products are useful in many terms, that these are more convenient and cheaper. Moreover we are leading to a *plastic era*, in which along with the usefulness we need to face many negative effects also [1-6]. The formation of Microplastics or Nano plastics are quite tedious. They are formed by the fragmentation or UV irradiation of bigger plastics [7-9]. The negative impacts of these micro villains are screened recently, and tests reveal that these are more vulnerable for aquatic fishes and sea birds [10]. The size of microplastics are less than 5mm, thus they cause many negative impacts to mussels including in their circulatory system [11]. While we consider the size ranges of the microplastics, filter feeders and benthic organisms in the basal marine part are more affected. This needs to be validated further [12]. Recent studies suggest that, due to fishes

feeding on fishes contaminated with plastics the microplastics are transferred across different trophic levels of the food chain [13]. It will be necessary to elucidate how microplastics deplete the food chain and indirectly affect human beings [14]. Filter feeding of either plastic contaminated fishes or plastics which are mistaken to be as prey, are the direct or indirect exposure of microplastics to trophic level organisms in the food chain or [15]. Zooplanktons are more exposed towards indirect ingestion of microplastics [16] and that consumption of zooplankton, such as pelagic shellfish larvae (by larviphagy) is a common pathway in marine food webs. Because of characteristics of microplastics regarding size and shape, they can put a hand over prey-predator interactions. These properties may alter the prey swimming efficiency and benthic filter feeders can easily ingest them much more effectively [17]. *Prochlorococcus* is one of the main aquatic oxygen producers, which may produce 20% of it. But accumulation of microplastics will alter the oxygen synthesis of *Prochlorococcus* and several other microalgae [18,19]. The impacts of microplastics in terrestrial ecosystems remain unexplored much despite various reported effects on aquatic organisms [20]. The growth of Earthworms also gets altered due to accumulation of microplastics [21] and that may affect the soil food chain or detritus food chain. There is a presence of microplastics in the faecal matter of humans [22] and studies say that humans usually consume microplastics through the channel of sea foods [23–27] and through contaminated water [28-33], etc. This writing mainly focuses on the impacts of microplastics within the phenomenon, food chain interactions, health issues caused by them and solutions to reduce microplastics and nanoplastics.

2-MICROPLASTICS- CLASSIFICATION AND SOURCES

Microplastics are fragments of plastics that may pollute the environment [35]. According to the U.S. National Oceanic and Atmospheric Administration (**NOAA**), microplastics may have a size range around 5mm. Through the worlds of cosmetics, medicines, automobiles etc, microplastics may enter the ecosystems [36,37].


They are generally classified into Primary and Secondary microplastics respectively (table no.1). Apart from these two, nanoplastics and microplastics produced by dust emission during industrial wear and tear were also reported.

Primary microplastics	Secondary microplastics
❑ Microplastics, those may be produced as deliberately [38].	❑ These are synthesised as a result of fragmentation of bigger plastics [39].

<ul style="list-style-type: none"> ❑ These are used in air blasting techniques and mechanisms [40]. ❑ They can be used as vectors in medicinal fields [41]. ❑ Many MNC tried to reduce microbead production. ❑ Microbeads have a very long biodegradation period as normal plastics. 	<ul style="list-style-type: none"> ❑ This fragmentation can be due to exposure to sunlight, photodegradation, chemo degradation, etc. [40]. ❑ Microplastics may get further degraded to form very small debris of 1.6 micrometers size [42].
--	--

(Table no. 1: Classification of microplastics as primary and secondary microplastics with references)

Regarding the sources of microplastics, they can be derived from the cloth industry, cosmetics, medicinal fields, automobile industry, production of single-use items, etc, (figure no. 1).





















(Figure no. 01: Sources and entry of microplastics to aquatic and terrestrial systems)

Various researchers have postulated many definitions for the term “microplastics” [43]. Recent studies using neuston nets with a practical lower limit of 333 micrometers, microplastics are with size of 500 micrometers and are generally traced from aquatic habitats than terrestrial [45-46]. For more specificity, this particular range of size alone is observed as ‘microplastics’ here and the larger particles like ‘virgin resin pellets’ are observed as ‘mesoplastics’ after [47].

Commonly plastics are of many types including polyethylene (PE), polyester (PES), polyethylene terephthalate (PET), polyetherimide (PEI) (Ultem), polystyrene (PS), polypropylene (PP), low-density polyethylene (LDPE) high-density polyethylene (HDPE), vinyl resin (PVC), polyvinylidene chloride

(PVDC) (Saran), polycarbonate (PC), polycarbonate/acrylonitrile butadiene styrene (PC/ABS), high-impact polystyrene (HIPS), polyamides (PA) (nylon), acrylonitrile butadiene styrene (ABS), polyurethanes (PU), urea–formaldehyde (UF), melamine formaldehyde (MF), acrylate resin (PMMA), polytetrafluoroethylene (PTFE), and polylactic acid (PLA), etc. [48] (figure no. 2).

 Polystyrene	 Polyethylene terephthalate	 Polyethylene	 Polyvinyl chloride	 Polyvinylidene chloride
 Polypropylene	 Polyurethane		 Polyethylenimine	
 Polylactic acid	 Acrylonitrile butadiene styrene	 Polycarbonate		
 Nylon		 Polyether ether ketone		 Polytetrafluoroethylene
 Melamin formaldehyde	 Phenolics formaldehyde	 Poly(methyl methacrylate)	 Urea formaldehyde	

(Figure no. 02: Numerous polymers of plastics types and their chemical structures (*pc: Yung- Li Wang et al*))


3- MICROPLASTICS- JOURNEY THROUGH FOOD CHAIN OR FOOD WEB

A **food chain** is an organic phenomenon that connects the organisms in a vertical or horizontal manner based on their feeding habits. This is organised based on different trophic levels. These trophic levels range from lower to higher. Unlike them, the **food web** is the interconnections between organisms but not in a linear fashion. On the food web, one trophic level organism can be connected to more than one organism in another trophic level. Though, food chains can be of aquatic or terrestrial and grazing or detritus. Recent studies suggest that in a food chain, 10% energy will transfer from lower to higher trophic level [49,50].

3.1- MICROPLASTICS- EXPOSURE TO FOOD CHAIN OR FOOD WEB

Microplastics are more exposed to the marine ecosystem and that through bioaccumulation mainly. It is the chemical and physical characters of microplastics that disrupt marine creatures [51,52]. One of the major things about microplastics is that they can be porous and can absorb

pesticides, chemical fertilizers, polychlorinated biphenyls, etc. [53]. This in turn may cause devastating effects to marine organisms and their food chain. Recent studies indicate that microplastics can be transferred through specific trophic levels in a food chain and they can be entered to the marine world through various mechanisms like ingestion, microbial assemblage, bioaccumulation, biomagnification, etc. Along with these, adherence, entanglement, etc. also pave a way for exposure of microplastics to the food chain (figure no.3).



(Figure no. 03: Microplastic exposure to food chain and food web, through ingestion, adherence, microbial assemblage, entanglement, associated contaminants, bioaccumulation, biomagnification, etc.)

3.2 MICROPLASTICS- CONCENTRATION AT DIFFERENT TROPHIC LEVELS

As microplastics accumulate on shorelines [56], coastal biota are exposed to them. As in a food chain the initial trophic level will be producers (**algal species or phytoplanktons**). Trophic transfer is the major mechanism by which a plastic contaminated fish is being preyed by another predator fish [59]. Algal species are also prone to microplastics and they can be in the form of poly acrylic fibres or microbeads. Microbeads usually have a size range of 10-20 micrometers and poly acrylic fibres in 80-2300 micrometers [59]. Algal species can aid in transferring microplastic contents through the food chain, eg: *Fucus vesiculosus* absorbs polystyrene microparticles which have a size range of 20-30 micrometers. This particular algae is getting ingested by *Littorina littoria* which is commonly called as common periwinkle and forming a trophic transfer across a food chain [57,58].

In terms of **zooplanktons**, they are also prone to microplastics since they live in the bottom line of the oceanic world, eg: Chaetognaths [60]. Zooplanktons are the second trophic level organisms and primary consumers.

Fishes are also studied for the ingestion of microplastics. They form the next trophic level of organisms. They are of pelagic and fishes in reefs especially, which are used as edible sea foods for humans [59]. Microplastics are entangled in fishes mainly because they are feeding


the other plastic contaminated other small fishes and zooplanktons. Most studies in fishes are conducted in the fishes like Silver carp, Nile tilapia, Crucian carp, and Common carp. By studying all these the average of microplastic content per organism in them are 3.5-3.8 (microplastic)MP/individual for Silver carp, 2.2-2.5 MP/individual for Common carp, 1.0- 1.9 MP/individual for crucian carp, etc. Unlike the data about Nile tilapia are more vague and researchers came to a conclusion that they may possess about 16% of microplastic/individual [61,62]. Recent studies indicate that it is the morphological feature of microplastics that influences their vulnerability towards marine fishes. Specifically, it is the fiber structures of them which are more prone than the globular structure of microplastics. They are more entangled with the gastrointestinal tracts of these fishes. Their percentages ranges from 23-24% for Yellow tuna, 2.6-2.9% to Atlantic cod, 76.4-76.6% for Japanese anchovy, 23.1-23.4% for Pacific chub mackerel, 8.1-8.8% for Atlantic herring, 24.2-24.6% for Jack and Horse mackerel, 9.1-10.0% for Skipjack tuna, 0.1-1.0% for Peruvian anchovy, etc.

Rather in the case of **shellfishes**, a microplastic amount is detected as microplastics per gram of wet tissue. They form the next trophic level of organisms. Large numbers of studies were conducted in the family *Mytilidae* where the publications revealed that the aquatic as well as marine mussels generally contain about 0.1-5.63 microplastics/gram w.w. But in Cupped oysters the range lies between 0.18-3.85 MP/gram w.w and 0.9-2.6 MP/gram w.w for Japanese carpal shells [59,63]. While we compare oysters and mussels, studies suggest that in terms of microplastics >100 micrometers oysters (32%) greater than mussels (11%). In terms of 20-50 micrometers of size range, mussels (37%) is greater than oysters (15%). But investigations show that both of them ingest microplastics in the range of 50-100 micrometers [59].

The **crustaceans** are a more diversified group of marine organisms. They have a range of organisms including crabs, lobsters, shrimps, octopus, etc. Though the study on infestation of microplastics in them is studied less compared to others. In which the most studied form is *Crangon crangon*, called commonly as Brown shrimp. In this, 62-64% of shrimps out of 165 shrimps were tested positive for containing microplastics which is about 0.55-0.64 MP/gram w.w. [65].

Thus from these organisms, microplastics are infested to higher trophic levels of organisms including big fishes and terrestrial predators. Because these higher trophic level organisms consume upon the lower ones. More than that, **humans** are exposed to microplastics not only through consumption of plastic contaminated sea foods ranging from algae to fishes, but also through various day to day plastic materials. These may range from plastic bottles, plastic bags,

medicines, plastic spoons, hardware cases, many instrumental covers and many more [66]. Not only through water and terrain, humans are occupied with microplastics which are also sourced from air [66]. Along with these data which are published, microplastics are getting entered to each and every trophic level in a food chain. *Yung-Li et al* presented that the amount of microplastics will increase in terms of gram/ w.w to all trophic levels in a food chain. The increase in the amount of microplastics in each trophic level organism is roughly given in figure no. 04.



(Figure no. 04: Rough graph showing the inclining concentration of microplastics in ppt along with the increase in trophic levels of a particular food chain. As we could see the concentration of microplastics is increasing in each trophic level indicating bioaccumulation in microplastics.)

3.3 MICROPLASTICS- HEALTH PROBLEMS TO ORGANISMS

The recent studies on microplastics suggest that the organisms may get several health issues by ingesting them. Though the direct proofs or ambient evidence focusing this are very few. There are no direct results suggesting that the microplastic transverse through tissues of organisms especially marine varieties. But the human health issues due to microplastics are arising because of the plastic contaminated sea fishes, anchovies, algal species, oysters, etc. So there is a greater risk in human health also by consuming the plastic contaminated marine

organisms [59]. Microplastics may accumulate and cause blockage in the gut or several species of organisms. This may induce gradual inflammations to organs [67,68]. Accumulation of microplastics also causes disruptions and decline to the production of oxygen from algae and microalgae [70] and have a disrupted effect in the consumption of zooplanktons [71]. In crabs, they will accumulate and cause malformations and disrupted effects in gills, pancreas, stomach, etc. [72]. They have a negative influence on fish tissue histological features also [73]. There are positive proofs indicating the lesser sperm velocity and egg production numbers in oysters due to microplastic accumulation [74]. These studies reveal that the accumulation of microplastics causes negative implications in gastrointestinal tract and intestinal walls of humans [76,77]. Studies conducted in mice indicate that the negative impacts of microplastics may cause disruption in synthesis of amino acids, bile acids, liver lipids, etc. along with decline in mucus secretion and malfunctioning of microbiota in gut regions as well [78,79]. It was *Brown et al* who demonstrated that the accidental ingestion of microplastics may carry pollutants, chemicals, additives through their journey to tissues and causes many negative impacts [115].

In humans, it is through the trophic transfer of microplastics it induces cytotoxicity by blocking efflux pumps in cells in the intestine and also enters to the gut and circulatory system [66]. This induced cytotoxicity in turn activates oxidative stress via free radical generation initiated from reactive oxygen species (ROS) [98-100]. This ROS in turn influences the antioxidants and causes negative impacts for DNA, carbohydrates, proteins and lipids. This may cause disruptions in the structure of genes, alteration in them, instability in them and finally leading to carcinogenesis [101,102].

Microplastics can cause negative effects in the synthesis and metabolism of amino acids. This is made possible by the increase in production of arginine and tyrosine. This may negatively alter the metabolism of bile acids via controlling the levels and production of Cholesterol 7 α -hydroxylase, taurocholic acid, ATP- binding cassette, beta- muricholic acid, Abcb11 (member 11), and subfamily B [103]. By controlling the levels of Pyruvic acid, Cholesterol and triglyceride they affect the lipid metabolism of the liver [104]. In addition, the accumulation of microplastics induces toxicity in genes [104], alter gene expression [100], elicit immunological responses [105,106], etc. This also causes the stimulation of proteins related to fibrosis, such as CTGF, PAI-1, and Collagen-1, and proteins related to autophagy, such as Beclin-1 and LC3-11 in kidney cells [107].

4- MICROPLASTICS- THROUGH AIR

These microplastics pave a way to enter into the atmosphere and even develop into a potential airborne contaminant [80]. It is the workers in the synthetic textile industry, cosmetics industry and flock industry, who are more prone towards these air microplastic pollutants [81]. They along with those who are breathing the air along with microplastics are exposed towards lung cancer [83,84], stomach cancer, oesophagus cancer [82], intestinal cancer [83,84] and many more lung diseases mainly. Microplastics Induce many negative variations for the endocrine system in various manner[88], initiate toxicity to neurons [89], and induce reproductive abnormalities with many other after effects [90–94]. In addition, microplastics absorb persistent organic pollutants (POPs) and many oceanic pesticides [95,96], because these materials or compounds are of high nature of affinity towards plastics or microplastics rather than normal water [96,97].

5- MICROPLASTICS- IN WASTEWATER TREATMENT

Waste treatment plants are one of the places where microplastic accumulations culminate [116]. As we all know, wastewater treatment is done through three main steps. Out of which Primary treatment clears major amounts of microplastics, it is about 78-98% [117]. That is followed by secondary treatment, where 7-20% is removed [118]. Tertiary treatment has null functions in removing microplastics [119]. So, day by day a huge volume of the effluent carrying microplastics are removed to the marine ecosystem and they make a way for the entry of microplastics to the food chain [120]. Moreover we could say that the country with more wastewater treatment plants is one of the major sources for the expulsion of microplastics to the ecosystems [121].

In wastewater treatment plants, after most of the amount of microplastics released downstream to the marine or aquatic world some solid fractions may also entangle at last. These ambient solid fractions may pollute the terrestrial ecosystem as well. There are many potential strategic measures implemented by the government to reduce microplastic amounts. Out of which the most acclaimed and applauded one is the Source reduction method. Along with this many other methods were also postulated so as to reduce the amount of microplastics and their negative effects in the food chain [121].

6- MICROPLASTICS- REDUCTIONS AND SOLUTIONS

The world has postulated many strategic measures like the above given Source reduction method to reduce microplastic production and reuse them in an effective way as soon as possible. In turn by reducing plastics the release of microplastics will also get reduced.

- ❑ Out of which India also contributed some including the reduction and abandoning of fishing nets which were replaced by surfboards [110] and banning of single use plastics were also amended from 2 october, 2019 [124].
- ❑ Netherlands made the microplastics to be reused as a constituent in construction of roads [122].
- ❑ The European Union also implemented many methods and strategies to reduce the use of single use plastics and eliminate them by 2021.
- ❑ Africa introduced Plastic reduction policy to prevent and reduce the increased use of microplastics [108,109].
- ❑ In the research held in the UK, some students made a remedy to reduce plastics and developed the use of red algal matter and skin of marine fishes to substitute plastics [111].
- ❑ Recently many researches were held to develop and culture many strains of fungi and many strains of microorganisms that can degrade plastics like Polyvinyl chloride (PVC), PHB, etc. along with the production of several enzymes that can degrade PET [114].

In Mexico, researchers developed edible plastics from the normal fruits of cactus, which in turn cause many health benefits [112].

7- CONCLUSION

The times are changing. We are now in the “Plastic era”, where the whole world is somewhat dependent on plastics. But overuse of them is causing not only plastic pollution but the production of new members like microplastics, nanoplastics, etc. These more fragmented and less biodegradable little things also cause abnormalities in our food chain. In that marine grazing food chain is more affected than others. The cosmetics world, medicinal industry, automobile parts, textile industry, wastewater treatment plants, etc. paved a way for the entry of micro plastics to air, water or terrain. They may bioaccumulate there and by various ways they enter the food chain. Thus they travel through different trophic levels of organisms through Trophic transfer and cause many devastating health issues to the successive animals. These are causing many carcinogenic and several other harmful effects in organisms ingested, mainly they will get accumulated in top predators as the recent studies reveal. Different countries in the

world have formulated various methods to overcome these issues and we all are looking forward to this. So that the negative effects of microplastics could be eliminated and abandon them for restabilising the ecosystem balance.

REFERENCES

1. Díaz-Torres, Evelyn R., et al. "Floating marine debris in waters of the Mexican Central Pacific." *Marine pollution bulletin* 115.1-2 (2017): 225-232.
2. Ryan, Peter G., Seth Musker, and Ariella Rink. "Low densities of drifting litter in the African sector of the Southern Ocean." *Marine pollution bulletin* 89.1-2 (2014): 16-19.
3. Ryan, Peter G. "Litter survey detects the South Atlantic 'garbage patch'." *Marine Pollution Bulletin* 79.1-2 (2014): 220-224.
4. Eriksen, Marcus, et al. "Plastic pollution in the South Pacific subtropical gyre." *Marine pollution bulletin* 68.1-2 (2013): 71-76.
5. Cózar, Andrés, et al. "Plastic debris in the open ocean." *Proceedings of the National Academy of Sciences* 111.28 (2014): 10239-10244.
6. Derraik, Jose GB. "The pollution of the marine environment by plastic debris: a review." *Marine pollution bulletin* 44.9 (2002): 842-852.
7. Yousif, Emad, and Raghad Haddad. "Photodegradation and photostabilization of polymers, especially polystyrene." *SpringerPlus* 2.1 (2013): 398.
8. Gewert, Berit, Merle M. Plassmann, and Matthew MacLeod. "Pathways for degradation of plastic polymers floating in the marine environment." *Environmental Science: Processes & Impacts* 17.9 (2015): 1513-1521.
9. Song, Young Kyoung, et al. "Combined effects of UV exposure duration and mechanical abrasion on microplastic fragmentation by polymer type." *Environmental science & technology* 51.8 (2017): 4368-4376.
10. Derraik, Jose GB. "The pollution of the marine environment by plastic debris: a review." *Marine pollution bulletin* 44.9 (2002): 842-852.
11. Browne, Mark A., et al. "Ingested microscopic plastic translocates to the circulatory system of the mussel, *Mytilus edulis* (L.)." *Environmental science & technology* 42.13 (2008): 5026-5031.
12. Thompson, Richard C., et al. "Lost at sea: where is all the plastic?." *Science* 304.5672 (2004): 838-838.
13. Eriksson, Cecilia, and Harry Burton. "Origins and biological accumulation of small plastic particles in fur seals from Macquarie Island." *AMBIO: A Journal of the Human Environment* 32.6 (2003): 380-384.

14. Barnes, David KA, et al. "Accumulation and fragmentation of plastic debris in global environments." *Philosophical Transactions of the Royal Society B: Biological Sciences* 364.1526 (2009): 1985-1998.
15. Bos, Ryan P. "The Association between Stomach Fullness and Vertical Migration Behavior in Deep-Pelagic Crustaceans and Fishes in the Gulf of Mexico, with Notes on Microplastic Ingestion." (2019).
16. Botterell, Zara LR, et al. "Bioavailability and effects of microplastics on marine zooplankton: A review." *Environmental Pollution* 245 (2019): 98-110.
17. Van Colen, Carl, et al. "Does microplastic ingestion by zooplankton affect predator-prey interactions? An experimental study on larviphagy." *Environmental Pollution* 256 (2020): 113479.
18. Tetu, Sasha G., et al. "Plastic leachates impair growth and oxygen production in *Prochlorococcus*, the ocean's most abundant photosynthetic bacteria." *Communications biology* 2.1 (2019): 1-9.
19. Liu, Ge, et al. "Microplastic Impacts on Microalgae Growth: Effects of Size and Humic Acid." *Environmental Science & Technology* 54.3 (2019): 1782-1789.
20. de Souza Machado, Anderson Abel, et al. "Microplastics can change soil properties and affect plant performance." *Environmental science & technology* 53.10 (2019): 6044-6052.
21. Boots, Bas, Connor William Russell, and Dannielle Senga Green. "Effects of Microplastics in Soil Ecosystems: Above and Below Ground." *Environmental science & technology* 53.19 (2019): 11496-11506.
22. Schwabl, Philipp, et al. "Detection of various microplastics in human stool: a prospective case series." *Annals of internal medicine* (2019).
23. Korez, Spela, Lars Gutow, and Reinhard Saborowski. "Cellular effects of natural and synthetic microparticles in marine invertebrates." 2019.
24. Cho, Youna, et al. "Abundance and characteristics of microplastics in market bivalves from South Korea." *Environmental pollution* 245 (2019): 1107-1116.
25. Li, Jiana, et al. "Using mussel as a global bioindicator of coastal microplastic pollution." *Environmental pollution* 244 (2019): 522-533.
26. Li, Jiana, et al. "PVC Does Not Influence Cadmium Uptake or Effects in the Mussel (*Mytilus edulis*)." *Bulletin of Environmental Contamination and Toxicology* 104.3 (2020): 315-320.
27. Miller, Ezra, et al. "Microparticles, Microplastics, and PAHs in Bivalves in San Francisco Bay." (2019).
28. Cox, Kieran D., et al. "Human consumption of microplastics." *Environmental science & technology* 53.12 (2019): 7068-7074.
29. Kniggendorf, Ann-Kathrin, Christoph Wetzel, and Bernhard Roth. "Microplastics detection in streaming tap water with Raman spectroscopy." *Sensors* 19.8 (2019): 1839.

30. Panno, Samuel V., et al. "Microplastic contamination in karst groundwater systems." *Groundwater* 57.2 (2019): 189-196.
31. Welle, Frank, and Roland Franz. "Microplastic in bottled natural mineral water—literature review and considerations on exposure and risk assessment." *Food Additives & Contaminants: Part A* 35.12 (2018): 2482-2492.
32. Mason, Sherri A., Victoria G. Welch, and Joseph Neratko. "Synthetic polymer contamination in bottled water." *Frontiers in chemistry* 6 (2018): 407.
33. Besseling, Ellen, et al. "Effects of microplastic on fitness and PCB bioaccumulation by the lugworm *Arenicola marina* (L.)." *Environmental science & technology* 47.1 (2013): 593-600.
34. Huang, Qi, et al. "the impact of Microplastic particles on population Dynamics of predator and prey: implication of the Lotka-Volterra Model." *Scientific Reports* 10.1 (2020): 1-10.
35. Frias, João, et al. "Standardised protocol for monitoring microplastics in sediments. Deliverable 4.2." (2018).
36. Arthur, Courtney, Joel Baker, and Holly Bamford. "International research workshop on the occurrence, effects, and fate of microplastic marine debris." *Conference Proceedings. Sept.* (2008).
37. Collignon, Amandine, et al. "Annual variation in neustonic micro-and meso-plastic particles and zooplankton in the Bay of Calvi (Mediterranean–Corsica)." *Marine Pollution Bulletin* 79.1-2 (2014): 293-298.
38. Steinfeld, Bradley, et al. "The role of lean process improvement in implementation of evidence-based practices in behavioral health care." *The journal of behavioral health services & research* 42.4 (2015): 504-518.
39. Masura, Julie, et al. "Laboratory methods for the analysis of microplastics in the marine environment: recommendations for quantifying synthetic particles in waters and sediments." (2015).
40. Cole, Matthew, et al. "Microplastics as contaminants in the marine environment: a review." *Marine pollution bulletin* 62.12 (2011): 2588-2597.
41. Patel, Mayur M., et al. "Getting into the brain." *CNS drugs* 23.1 (2009): 35-58.
42. Conkle, Jeremy L., Christian D. Báez Del Valle, and Jeffrey W. Turner. "Are we underestimating microplastic contamination in aquatic environments?." *Environmental management* 61.1 (2018): 1-8.
43. Gregory, Murray R., and Anthony L. Andrady. "Plastics in the marine environment." *Plastics and the Environment* 379 (2003): 389-90.
44. Fendall, Lisa S., and Mary A. Sewell. "Contributing to marine pollution by washing your face: microplastics in facial cleansers." *Marine pollution bulletin* 58.8 (2009): 1225-1228.

45. Yonkos, Lance T., et al. "Microplastics in four estuarine rivers in the Chesapeake Bay, USA." *Environmental science & technology* 48.24 (2014): 14195-14202.
46. Ng, K. L., and J. P. Obbard. "Prevalence of microplastics in Singapore's coastal marine environment." *Marine Pollution Bulletin* 52.7 (2006): 761-767.
47. Collignon, Amandine, et al. "Annual variation in neustonic micro-and meso-plastic particles and zooplankton in the Bay of Calvi (Mediterranean–Corsica)." *Marine Pollution Bulletin* 79.1-2 (2014): 293-298.
48. Ghosh, Swapan Kumar, Sujoy Pal, and Sumanta Ray. "Study of microbes having potentiality for biodegradation of plastics." *Environmental Science and Pollution Research* 20.7 (2013): 4339-4355.
49. Briand, Frederic, and Joel E. Cohen. "Environmental correlates of food chain length." *Science* 238.4829 (1987): 956-960.
50. Lafferty, Kevin D., Andrew P. Dobson, and Armand M. Kuris. "Parasites dominate food web links." *Proceedings of the National Academy of Sciences* 103.30 (2006): 11211-11216.
51. Borgå, Katrine, et al. "Biological and chemical factors of importance in the bioaccumulation and trophic transfer of persistent organochlorine contaminants in arctic marine food webs." *Environmental Toxicology and Chemistry: An International Journal* 23.10 (2004): 2367-2385.
52. Rochman, Chelsea M. "Plastics and priority pollutants: a multiple stressor in aquatic habitats." (2013): 2439-2440.
53. Mato, Yukie, et al. "Plastic resin pellets as a transport medium for toxic chemicals in the marine environment." *Environmental science & technology* 35.2 (2001): 318-324.
54. Tosetto, Louise, Jane E. Williamson, and Culum Brown. "Trophic transfer of microplastics does not affect fish personality." *Animal Behaviour* 123 (2017): 159-167.
55. Borgå, Katrine, et al. "Biological and chemical factors of importance in the bioaccumulation and trophic transfer of persistent organochlorine contaminants in arctic marine food webs." *Environmental Toxicology and Chemistry: An International Journal* 23.10 (2004): 2367-2385.
56. Setälä, Outi, Joanna Norkko, and Maiju Lehtiniemi. "Feeding type affects microplastic ingestion in a coastal invertebrate community." *Marine pollution bulletin* 102.1 (2016): 95-101.
57. Sundbæk, Kasper Bjerrum, et al. "Sorption of fluorescent polystyrene microplastic particles to edible seaweed *Fucus vesiculosus*." *Journal of applied phycology* 30.5 (2018): 2923-2927.
58. Gutow, Lars, et al. "Experimental evaluation of seaweeds as a vector for microplastics into marine food webs." *Environmental science & technology* 50.2 (2016): 915-923.
59. Walkinshaw, Chris, et al. "Microplastics and seafood: lower trophic organisms at highest risk of contamination." *Ecotoxicology and Environmental Safety* 190 (2020): 110066.

60. Von Moos, Nadia, Patricia Burkhardt-Holm, and Angela Köhler. "Uptake and effects of microplastics on cells and tissue of the blue mussel *Mytilus edulis* L. after an experimental exposure." *Environmental science & technology* 46.20 (2012): 11327-11335.
61. Karbalaei, Samaneh, et al. "Abundance and characteristics of microplastics in commercial marine fish from Malaysia." *Marine pollution bulletin* 148 (2019): 5-15.
62. Grbić, Jelena, et al. "Microplastics entering northwestern Lake Ontario are diverse and linked to urban sources." *Water Research* 174 (2020): 115623.
63. Li, Jiana, et al. "Using mussel as a global bioindicator of coastal microplastic pollution." *Environmental pollution* 244 (2019): 522-533.
64. Jang, Mi, et al. "A close relationship between microplastic contamination and coastal area use patterns." *Water Research* 171 (2020): 115400.
65. Amin, Roswati Md, et al. "Microplastic ingestion by zooplankton in Terengganu coastal waters, southern South China Sea." *Marine pollution bulletin* 150 (2020): 110616.
66. Wang, Yung-Li, et al. "Potent impact of plastic nanomaterials and micromaterials on the food chain and human health." *International Journal of Molecular Sciences* 21.5 (2020): 1727.
67. Berry, Kathryn LE, et al. "Microplastic Contamination Has Limited Effects on Coral Fertilisation and Larvae." *Diversity* 11.12 (2019): 228.
68. Wang, Yung-Li, et al. "Potent impact of plastic nanomaterials and micromaterials on the food chain and human health." *International Journal of Molecular Sciences* 21.5 (2020): 1727.
69. Ward, J. Evan, et al. "Selective Ingestion and Egestion of Plastic Particles by the Blue Mussel (*Mytilus edulis*) and Eastern Oyster (*Crassostrea virginica*): Implications for Using Bivalves as Bioindicators of Microplastic Pollution." *Environmental science & technology* 53.15 (2019): 8776-8784.
70. Liu, Ge, et al. "Microplastic Impacts on Microalgae Growth: Effects of Size and Humic Acid." *Environmental Science & Technology* 54.3 (2019): 1782-1789.
71. Liu, Liang-Ying, Lei Mai, and Eddy Y. Zeng. "Plastic and Microplastic Pollution: From Ocean Smog to Planetary Boundary Threats." *A New Paradigm for Environmental Chemistry and Toxicology*. Springer, Singapore, 2020. 229-240.
72. Wang, Yung-Li, et al. "Potent impact of plastic nanomaterials and micromaterials on the food chain and human health." *International Journal of Molecular Sciences* 21.5 (2020): 1727.
73. Yong, Cheryl Qian Ying, Suresh Valiyaveetil, and Bor Luen Tang. "Toxicity of Microplastics and Nanoplastics in Mammalian Systems." *International Journal of Environmental Research and Public Health* 17.5 (2020): 1509.
74. Sussarellu, Rossana, et al. "Oyster reproduction is affected by exposure to polystyrene microplastics." *Proceedings of the National Academy of Sciences* 113.9 (2016): 2430-2435.

75. Wang, Fang, et al. "Sorption Behavior and Mechanisms of Organic Contaminants to Nano and Microplastics." *Molecules* 25.8 (2020): 1827.
76. Meng, Yuchuan, Frank J. Kelly, and Stephanie L. Wright. "Advances and challenges of microplastic pollution in freshwater ecosystems: A UK perspective." *Environmental Pollution* 256 (2020): 113445.
77. Korez, Spela, Lars Gutow, and Reinhard Saborowski. "Cellular effects of natural and synthetic microparticles in marine invertebrates." 2019.
78. Jin, Yuanxiang, et al. "Impacts of polystyrene microplastic on the gut barrier, microbiota and metabolism of mice." *Science of the Total Environment* 649 (2019): 308-317.
79. Zhang, Rui, et al. "Short-term propamocarb exposure induces hepatic metabolism disorder associated with gut microbiota dysbiosis in adult male zebrafish." *Acta biochimica et biophysica Sinica* 51.1 (2019): 88-96.
80. Nam, Phuong Ngoc, et al. "Contamination of microplastic in bivalve: first evaluation in Vietnam." *Vietnam journal of earth sciences* 41.3 (2019): 252-258.
81. Wang, Yung-Li, et al. "Potent impact of plastic nanomaterials and micromaterials on the food chain and human health." *International Journal of Molecular Sciences* 21.5 (2020): 1727.
82. Gallagher, Lisa G., et al. "Occupational exposures and risk of stomach and esophageal cancers: Update of a cohort of female textile workers in Shanghai, China." *American journal of industrial medicine* 58.3 (2015): 267-275.
83. Kern, David G., et al. "Flock worker's lung: chronic interstitial lung disease in the nylon flocking industry." *Annals of internal medicine* 129.4 (1998): 261-272.
84. Turcotte, Scott E., et al. "Flock worker's lung disease: natural history of cases and exposed workers in Kingston, Ontario." *Chest* 143.6 (2013): 1642-1648.
85. Huang, Neng-Chyan, et al. "Arsenic, vinyl chloride, viral hepatitis, and hepatic angiosarcoma: a hospital-based study and review of literature in Taiwan." *BMC gastroenterology* 11.1 (2011): 142.
86. Vianna, Nicholas J., Judith Brady, and Philip Harper. "Angiosarcoma of the liver: a signal lesion of vinyl chloride exposure." *Environmental health perspectives* 41 (1981): 207-210.
87. Elliott, Paul, and Immo Kleinschmidt. "Angiosarcoma of the liver in Great Britain in proximity to vinyl chloride sites." *Occupational and environmental medicine* 54.1 (1997): 14-18.
88. Rochman, Chelsea M., et al. "Early warning signs of endocrine disruption in adult fish from the ingestion of polyethylene with and without sorbed chemical pollutants from the marine environment." *Science of the Total Environment* 493 (2014): 656-661.
89. Barboza, Luís Gabriel Antão, et al. "Microplastics cause neurotoxicity, oxidative damage and energy-related changes and interact with the bioaccumulation of mercury in the European seabass, *Dicentrarchus labrax* (Linnaeus, 1758)." *Aquatic Toxicology* 195 (2018): 49-57.

90. Gardon, Tony, et al. "Microplastics affect energy balance and gametogenesis in the pearl oyster *Pinctada margaritifera*." *Environmental science & technology* 52.9 (2018): 5277-5286. Liu, Zhiquan, et al. "Polystyrene nanoplastic exposure induces immobilization, reproduction, and stress defense in the freshwater cladoceran *Daphnia pulex*." *Chemosphere* 215 (2019): 74-81.
91. Tallec, Kevin, et al. "Nanoplastics impaired oyster free living stages, gametes and embryos." *Environmental Pollution* 242 (2018): 1226-1235.
92. Pitt, Jordan A., et al. "Maternal transfer of nanoplastics to offspring in zebrafish (*Danio rerio*): A case study with nano polystyrene." *Science of the Total Environment* 643 (2018): 324-334.
93. Martins, Alexandra, and Lúcia Guilhermino. "Transgenerational effects and recovery of microplastics exposure in model populations of the freshwater cladoceran *Daphnia magna* Straus." *Science of the Total Environment* 631 (2018): 421-428.
94. Liu, Zhiquan, et al. "Polystyrene nanoplastic exposure induces immobilization, reproduction, and stress defense in the freshwater cladoceran *Daphnia pulex*." *Chemosphere* 215 (2019): 74-81.
95. Mato, Yukie, et al. "Plastic resin pellets as a transport medium for toxic chemicals in the marine environment." *Environmental science & technology* 35.2 (2001): 318-324.
96. Rochman, Chelsea M., et al. "Long-term field measurement of sorption of organic contaminants to five types of plastic pellets: implications for plastic marine debris." *Environmental Science & Technology* 47.3 (2013): 1646-1654.
97. Andrady, Anthony L. "Microplastics in the marine environment." *Marine pollution bulletin* 62.8 (2011): 1596-1605.
98. Andrady, Anthony L. "Microplastics in the marine environment." *Marine pollution bulletin* 62.8 (2011): 1596-1605.
99. Qu, Man, et al. "Using *acs-22* mutant *Caenorhabditis elegans* to detect the toxicity of nano polystyrene particles." *Science of the Total Environment* 643 (2018): 119-126.
100. Tang, Jia, et al. "Acute microplastic exposure raises stress response and suppresses detoxification and immune capacities in the scleractinian coral *Pocillopora damicornis*." *Environmental Pollution* 243 (2018): 66-74.
101. Birben, E.; Sahiner, U.M.; Sackesen, C.; Erzurum, S.; Kalayci, O. Oxidative stress and antioxidant defense.
102. Nita, Małgorzata, and Andrzej Grzybowski. "The role of the reactive oxygen species and oxidative stress in the pathomechanism of the age-related ocular diseases and other pathologies of the anterior and posterior eye segments in adults." *Oxidative Medicine and Cellular Longevity* 2016 (2016).
103. Jin, Yuanxiang, et al. "Impacts of polystyrene microplastic on the gut barrier, microbiota and metabolism of mice." *Science of the Total Environment* 649 (2019): 308-317.

104. Lu, Liang, et al. "Polystyrene microplastics induce gut microbiota dysbiosis and hepatic lipid metabolism disorder in mice." *Science of the Total Environment* 631 (2018): 449-458.
105. Brandts, I., et al. "Effects of polymethylmethacrylate nanoplastics on *Dicentrarchus labrax*." *Genomics* 110.6 (2018): 435-441.
106. Revel, Messika, et al. "Accumulation and immunotoxicity of microplastics in the estuarine worm *Hediste diversicolor* in environmentally relevant conditions of exposure." *Environmental Science and Pollution Research* (2018): 1-10.
107. Hsu, Yung-Ho, et al. "Induction of Fibrosis and Autophagy in Kidney Cells by Vinyl Chloride." *Cells* 8.6 (2019): 601.
108. Xanthos, Dirk, and Tony R. Walker. "International policies to reduce plastic marine pollution from single-use plastics (plastic bags and microbeads): a review." *Marine pollution bulletin* 118.1-2 (2017): 17-26.
109. Tshikotshi, Victor. *The challenges of eradicating informal settlements in South Africa by 2014: the case of Seraleng, Rustenburg Local Municipality, North West Province*. Diss. 2010.
110. Wang, Yung-Li, et al. "Potent impact of plastic nanomaterials and micromaterials on the food chain and human health." *International Journal of Molecular Sciences* 21.5 (2020): 1727.
111. Barboza, Luís Gabriel A., et al. "Macroplastics pollution in the marine environment." *World seas: An environmental evaluation*. Academic Press, 2019. 305-328.
112. Margolin, Victor. "Design for a sustainable world." *Design Issues* 14.2 (1998): 83-92.
113. Ghosh, Swapn Kumar, Sujoy Pal, and Sumanta Ray. "Study of microbes having potentiality for biodegradation of plastics." *Environmental Science and Pollution Research* 20.7 (2013): 4339-4355.
114. Papadopoulou, Athena, Katrin Hecht, and Rebecca Buller. "Enzymatic PET Degradation." *CHIMIA International Journal for Chemistry* 73.9 (2019): 743-749.
115. Browne, Mark Anthony, et al. "Microplastic moves pollutants and additives to worms, reducing functions linked to health and biodiversity." *Current Biology* 23.23 (2013): 2388-2392.
116. Dris, Rachid, et al. "Microplastic contamination in an urban area: a case study in Greater Paris." *Environmental Chemistry* 12.5 (2015): 592-599.
117. Dris, Rachid, et al. "Microplastic contamination in an urban area: a case study in Greater Paris." *Environmental Chemistry* 12.5 (2015): 592-599.
118. Murphy, Fionn, et al. "Wastewater treatment works (WwTW) as a source of microplastics in the aquatic environment." *Environmental science & technology* 50.11 (2016): 5800-5808.
119. Talvitie, Julia, et al. "How well is microlitter purified from wastewater?—A detailed study on the stepwise removal of microlitter in a tertiary level wastewater treatment plant." *Water research* 109 (2017): 164-172.

120. Magnusson, Kerstin, and Fredrik Norén. "Screening of microplastic particles in and down-stream a wastewater treatment plant." (2014).
121. Prata, Joana Correia. "Airborne microplastics: consequences to human health?." *Environmental pollution* 234 (2018): 115-126.
122. Cordell, Dana, and Stuart White. "Life's bottleneck: sustaining the world's phosphorus for a food secure future." *Annual Review of Environment and Resources* 39 (2014): 161-188.
123. Wang, Yung-Li, et al. "Potent impact of plastic nanomaterials and micromaterials on the food chain and human health." *International Journal of Molecular Sciences* 21.5 (2020): 1727.
124. Xanthos, Dirk, and Tony R. Walker. "International policies to reduce plastic marine pollution from single-use plastics (plastic bags and microbeads): a review." *Marine pollution bulletin* 118.1-2 (2017): 17-26.

